

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L2	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L3	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L4	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L5	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L6	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L7	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L8	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L9	9177	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L10	13551016	@ad< "20021122" @rlad< "20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L11	25619	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L12	1393	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L13	16	L11 and L12 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L14	0	L13 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L15	5	L12 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L16	3	L15 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L17	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L18	9114	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L19	0	L18 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L20	21171	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L21	0	L20 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L22	30193	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L23	0	L22 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L24	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L25	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L26	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L27	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L28	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L29	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L30	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L31	0	L30 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L32	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L33	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L34	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L35	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L36	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L37	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L38	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L39	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L40	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L41	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L42	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L43	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L44	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L45	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L46	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L47	9177	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L48	13551016	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L49	25619	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L50	1393	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L51	16	L49 and L50 and L48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L52	0	L51 and L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L53	5	L50 and L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L54	3	L53 and L48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L55	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L56	9114	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L57	0	L56 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L58	21171	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L59	0	L58 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L60	30193	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L61	0	L60 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L62	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L63	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L64	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L65	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L66	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L67	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L68	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L69	0	L68 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L70	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L71	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L72	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L73	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L74	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L75	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L76	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L77	20016	709/224,220,221,222,223.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L78	986	L60 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L79	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L80	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L81	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L82	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L83	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L84	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L85	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L86	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L87	9177	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L88	13551016	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L89	25619	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L90	1393	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L91	16	L89 and L90 and L88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L92	0	L91 and L87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L93	5	L90 and L87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L94	3	L93 and L88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L95	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L96	9114	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L97	0	L96 and L95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L98	21171	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L99	0	L98 and L95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L100	30193	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L101	0	L100 and L95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L102	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L103	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L104	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L105	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L106	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L107	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L108	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L109	0	L108 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L110	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L111	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L112	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L113	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L114	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L115	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L116	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L117	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L118	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L119	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L120	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L121	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L122	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L123	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L124	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L125	9177	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L126	13551016	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L127	25619	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L128	1393	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L129	16	L127 and L128 and L126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L130	0	L129 and L125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L131	5	L128 and L125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L132	3	L131 and L126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L133	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L134	9114	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L135	0	L134 and L133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L136	21171	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L137	0	L136 and L133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L138	30193	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L139	0	L138 and L133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L140	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L141	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L142	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L143	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L144	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L145	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L146	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L147	0	L146 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L148	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L149	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L150	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L151	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L152	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L153	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26

L154	1	"6400996".pn. and (VCR near5 provid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L155	20016	709/224,220,221,222,223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L156	986	L138 and L155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L157	21	accumulat\$3 with history with user with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L158	7	L157 and L88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/05/09 14:26
L159	10	("5790974" "5912635" "5919246" "5938721" "6317685" "6591188" "6629034" "6678613" "6941222"). PN. OR ("7130743").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/09 14:26
S1	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/07 18:23
S2	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/07 18:42
S3	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:02
S4	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:02
S5	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:03

S6	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:06
S7	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:08
S8	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:08
S9	7502	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:40
S10	13494359	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:40
S11	20686	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:41
S12	1147	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:43
S13	13	S11 and S12 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:43
S14	0	S13 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:44
S15	4	S12 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:44
S16	3	S15 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:44

S17	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:36
S18	8139	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S19	0	S18 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S20	19170	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S21	0	S20 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S22	27559	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:44
S23	0	S22 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:44
S24	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 14:20
S25	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 14:34
S26	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 14:34
S27	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 15:34

S28	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 15:34
S29	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 17:28
S30	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 17:29
S31	0	S30 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 17:29
S32	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:33
S33	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:35
S34	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:36
S35	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:44
S36	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:52
S37	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 18:18
S38	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 18:19

S39	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S40	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S41	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S42	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S43	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S44	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S45	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S46	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S47	8157	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S48	13522156	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S49	22825	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S50	1257	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S51	16	S49 and S50 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S52	0	S51 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S53	5	S50 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S54	3	S53 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S55	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S56	8308	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S57	0	S56 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S58	19509	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S59	0	S58 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S60	28004	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S61	0	S60 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S62	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S63	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S64	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S65	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S66	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S67	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S68	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S69	0	S68 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S70	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S71	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S72	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S73	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S74	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S75	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S76	1	"6400996".pn. and (VCR near5 provid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S77	17921	709/224,220,221,222,223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:40
S78	862	S60 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:41
S79	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S80	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S81	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S82	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S83	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S84	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S85	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S86	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S87	8869	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S88	13543311	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S89	24863	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S90	1354	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S91	16	S89 and S90 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S92	0	S91 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S93	5	S90 and S87	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S94	3	S93 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S95	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S96	8873	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S97	0	S96 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S98	20680	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S99	0	S98 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S100	29548	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S101	0	S100 and S95	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S102	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S103	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S104	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S105	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S106	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S107	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S108	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S109	0	S108 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S110	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S111	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S112	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S113	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S114	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S115	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S116	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S117	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S118	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S119	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S120	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S121	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S122	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S123	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S124	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S125	8869	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S126	13543311	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S127	24863	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S128	1354	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S129	16	S127 and S128 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S130	0	S129 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S131	5	S128 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S132	3	S131 and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S133	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S134	8873	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S135	0	S134 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S136	20680	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S137	0	S136 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S138	29548	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S139	0	S138 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S140	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S141	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S142	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S143	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S144	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S145	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S146	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S147	0	S146 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S148	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

S149	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S150	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S151	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S152	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S153	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S154	1	"6400996".pn. and (VCR near5 provid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S155	19372	709/224,220,221,222,223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S156	952	S138 and S155	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S157	21	accumulat\$3 with history with user with pattern	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:41
S158	7	S157 and S88	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:41
S159	10	("5790974" "5912635" "5919246" "5938721" "6317685" "6591188" "6629034" "6678613" "6941222").PN. OR ("7130743").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/03/05 17:41

5/ 9/ 2009 2:29:41 PM

C:\ Documents and Settings\ ktang4\ My Documents\ EAST\ Workspaces\ 10535394.wsp